Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1190	(mark\$4 OR delimiter or heading or tags) same (type format formatted) same (encoding encoded) same (byte bits) same (sequence pattern arrangment structure hex-decimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 06:49
L2	124	((imbed\$4 embed\$4 insert\$4) near2 data near2 file) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 06:51
L3	73	2 and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 06:56
L4	4	(encoded encoding) near2 (markers delimiter) near3 (bytes bits) near3 (sequence pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 06:59
L5	3	4 and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:00
L6	66	(encoded encoding) near20 (markers delimiter) near20 (bytes bits) near3 (sequence pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:00
L7	59	(encoded encoding) near20 (markers delimiter) near20 (bytes bits) near3 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/28 07:06
L8	66	(6 7) and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2007/03/28 07:07

L9	1659	(encoded encoding) near20 (symbol markers delimiter) near20 (bytes bits) near2 (value number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:06
L10	16	(9 and 1) and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	1241	(mark\$4 OR delimiter or heading or tags) same (type format formatted) same (encoding encoded) same (byte bits) same (sequence pattern arrangement structure hex-decimal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:13
L12	141	(encoded encoding) near2 (symbol flag markers delimiter) near3 (bytes bits) near3 (sequence pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:18
L13	0	(11 and 12) and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:21
L16	201	(encod\$4 unicode) near2 (tag\$4 symbol flag markers markings delimiter) near3 (bytes bits) near3 (sequence pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:20
L17	128	16 and @ad<="20010926"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 07:21

3/28/2007 7:24:06 AM

Page 1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	988	709/236.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:24
L3	751	709/236.ccls. and (@ad<"20010926" @rlad<"20010926")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:24
L4	1	"5486686".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:32
L7 .	3158	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:35
L8	336	715/515.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:35
L16	350	(L7 L8) and (@ad<"20010926" and @rlad<"20010926")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:37
L17	12	(L7 L8) and (@ad<"20010926" and @rlad<"20010926") and (@pd>"20061001")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:42
L20	581	parent.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:43
L21	147	gilley.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:43
L22	1	20 and 21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:44
L23	0	20 and adobe.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:44

L24	8	21 and adobe.as.	US-PGPUB;	OR	ON	2007/03/28 10:44
			USPAT; EPO; JPO;			
			IBM_TDB			

INTERFERENCE SEARCH

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	10	(foreign with data with block).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:32
L6		(foreign with data with block).clm. and encod\$6.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/28 10:32